

PROPERTY LOCATED AT: 18 Silver Mine Rd, Sedgwick,

PROPERTY DISCLOSURE

Under Maine Law, certain information must be made available to buyers prior to or during preparation of an offer. This statement has been prepared to assist prospective buyers in evaluating this property. This disclosure is not a warranty of the condition of the property and is not part of any contract between Seller and any Buyer. Seller authorizes the disclosure of the information in this statement to real estate licensees and to prospective buyers of this property. The Seller agrees to provide prompt notice of any changes in the information and this form will be appropriately changed with an amendment date. Inspections are highly recommended.

DO NOT LEAVE ANY QUESTIONS BLANK. STRIKE, WRITE N/A OR UNKNOWN IF NEEDED.

SECTION I – WATER SUPPLY

TYPE OF SYSTEM: ☐ Public ☒ Private ☐ Seasonal ☐ Unknown
☒ Drilled ☐ Dug ☐ Other _____

MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the
(public/private/other) water system?

Pump (if any): ☐ N/A ☐ Yes ☒ No ☐ Unknown

Quantity: ☐ Yes ☒ No ☐ Unknown

Quality: ☐ Yes ☒ No ☐ Unknown

If Yes to any question, please explain in the comment section below or with attachment.

WATER TEST: Have you had the water tested? ☐ Yes ☒ No

If Yes, Date of most recent test: _____ Are test results available? .. ☐ Yes ☐ No

To your knowledge, have any test results ever been reported as unsatisfactory
or satisfactory with notation? ☐ Yes ☐ No

If Yes, are test results available? ☐ Yes ☐ No

What steps were taken to remedy the problem? _____

IF PRIVATE: (Strike Section if Not Applicable):

INSTALLATION: Location: south of house

Installed by: Williams and Taplin

Date of Installation: Early 2000's

USE: Number of persons currently using system: Varies

Does system supply water for more than one household? ☐ Yes ☒ No ☐ Unknown

Comments: _____

Source of Section I information: Seller

Buyer Initials _____

Page 1 of 7

Seller Initials gms MAH

PROPERTY LOCATED AT: 18 Silver Mine Rd, Sedgwick,

SECTION II — WASTE WATER DISPOSAL

TYPE OF SYSTEM: ☐ Public ☒ Private ☐ Quasi-Public _____ ☐ Unknown

IF PUBLIC OR QUASI-PUBLIC (Strike Section if Not Applicable):

Have you had the sewer line inspected? ☐ Yes ☐ No

If Yes, what results: _____

Have you experienced any problems such as line or other malfunctions? ☐ Yes ☐ No

What steps were taken to remedy the problem? _____

IF PRIVATE (Strike Section if Not Applicable):

Tank: ☒ Septic Tank ☐ Holding Tank ☐ Cesspool ☐ Other: _____

Tank Size: ☐ 500 Gallon ☒ 1000 Gallon ☐ Unknown ☐ Other: _____

Tank Type: ☒ Concrete ☐ Metal ☐ Unknown ☐ Other: _____

Location: North of house OR ☐ Unknown

Date installed: unavailable Date last pumped: 02/05/2020 Name of pumping company: unavailable

Have you experienced any malfunctions? ☐ Yes ☒ No

If Yes, give the date and describe the problem: _____

Date of last servicing of tank: _____ Name of company servicing tank: _____

Leach Field: ☒ Yes ☐ No ☐ Unknown

If Yes, Location: South of house

Date of installation of leach field: 1994 Installed by: Brad Jones

Date of last servicing of leach field: N/A Company servicing leach field: N/A

Have you experienced any malfunctions? ☐ Yes ☒ No

If Yes, give the date and describe the problem and what steps were taken to remedy: _____

Do you have records of the design indicating the # of bedrooms the system was designed for? ☐ Yes ☒ No

If Yes, are they available? ☐ Yes ☐ No

Is System located in a Shoreland Zone? ☐ Yes ☒ No ☐ Unknown

Comments: _____

Source of Section II information: Seller

Buyer Initials _____

Page 2 of 7

Seller Initials WJS MRH

SECTION III – HEATING SYSTEM(S)/HEATING SOURCES(S)

Heating System(s) or Source(s)	SYSTEM 1	SYSTEM 2	SYSTEM 3	SYSTEM 4
TYPE(S)	Heat Pump	Electric Baseboard		
Age of system(s) or source(s)	New	on second floor		
Name of company that services system(s) or source(s)	McKay	N/A		
Date of most recent service call	2017 2018			
Annual consumption per system or source (i.e., gallons, kilowatt hours, cords)	unknown	N/A Seasonal use		
Malfunction per system(s) or source(s) within past 2 years	No	No		
Other pertinent information				

Are there fuel supply lines? ☐ Yes ☒ No ☐ UnknownAre any buried? ☐ Yes ☒ No ☐ UnknownAre all sleeved? ☐ Yes ☒ No ☐ UnknownChimney(s): ☒ Yes ☒ NoIf Yes, are they lined: ☐ Yes ☒ No ☐ UnknownIs more than one heat source vented through one flue? ☐ Yes ☒ No ☐ UnknownHad a chimney fire: ☐ Yes ☒ No ☐ UnknownHas chimney(s) been inspected? ☐ Yes ☐ No ☒ Unknown

If Yes, date: _____

Date chimney(s) last cleaned: _____

Direct/Power Vent(s): ☐ Yes ☒ No ☐ UnknownHas vent(s) been inspected? ☐ Yes ☒ No ☐ Unknown

If Yes, date: _____

Comments: **Fireplace and chimney closed off. Not in use**Source of Section III information: **Seller****SECTION IV – HAZARDOUS MATERIAL**

The licensee is disclosing that the Seller is making representations contained herein.

A. UNDERGROUND STORAGE TANKS - Are there now, or have there ever been, any underground storage tanks on the property? ☐ Yes ☐ No ☒ UnknownIf Yes, are tanks in current use? ☐ Yes ☐ No ☐ Unknown

If no longer in use, how long have they been out of service? _____

If tanks are no longer in use, have tanks been abandoned according to DEP? ☐ Yes ☐ No ☐ UnknownAre tanks registered with DEP? ☐ Yes ☐ No ☐ Unknown

Age of tank(s): _____ Size of tank(s): _____

Location: _____

Buyer Initials _____

Page 3 of 7

Seller Initials

WJS

MPS

PROPERTY LOCATED AT: 18 Silver Mine Rd, Sedgwick,

What materials are, or were, stored in the tank(s)? _____

Have you experienced any problems such as leakage: ☐ Yes ☐ No ☐ Unknown

Comments: _____

Source of information: Seller

B. ASBESTOS — Is there now or has there been asbestos:

As insulation on the heating system pipes or duct work? ☐ Yes ☒ No ☐ Unknown

In the ceilings? ☐ Yes ☐ No ☒ Unknown

In the siding? ☐ Yes ☐ No ☒ Unknown

In the roofing shingles? ☐ Yes ☒ No ☐ Unknown

In flooring tiles? ☐ Yes ☒ No ☐ Unknown

Other: ☐ Yes ☐ No ☐ Unknown

Comments: _____

Source of information: Seller

C. RADON/AIR - Current or previously existing:

Has the property been tested? ☐ Yes ☒ No ☐ Unknown

If Yes: Date: _____ By: _____

Results: _____

If applicable, what remedial steps were taken? _____

Has the property been tested since remedial steps? ☐ Yes ☐ No ☐ Unknown

Are test results available? ☐ Yes ☐ No

Results/Comments: _____

Source of information: Seller

D. RADON/WATER - Current or previously existing:

Has the property been tested? ☐ Yes ☒ No ☐ Unknown

If Yes: Date: _____ By: _____

Results: _____

If applicable, what remedial steps were taken? _____

Has the property been tested since remedial steps? ☐ Yes ☐ No ☐ Unknown

Are test results available? ☐ Yes ☐ No

Results/Comments: _____

Source of information: Seller

E. METHAMPHETAMINE - Current or previously existing: ☐ Yes ☒ No ☐ Unknown

Comments: _____

Source of information: Seller

Buyer Initials _____

Page 4 of 7

Seller Initials

WKS

MPH

PROPERTY LOCATED AT: 18 Silver Mine Rd, Sedgwick,

F. LEAD-BASED PAINT/PAINT HAZARDS — (Note: Lead-based paint is most commonly found in homes constructed prior to 1978)

Is there now or has there ever been lead-based paint and/or lead-based paint hazards on the property?
..... ☐ Yes ☐ No ☐ Unknown ☒ Unknown (but possible due to age)

If Yes, describe location and basis for determination: _____

Do you know of any records/reports pertaining to such lead-based paint/lead-based paint hazards: ☐ Yes ☒ No

If Yes, describe: _____

Are you aware of any cracking, peeling or flaking paint? ☐ Yes ☒ No

Comments: _____

Source of information: Seller

G. OTHER HAZARDOUS MATERIALS - Current or previously existing:

TOXIC MATERIAL: ☐ Yes ☐ No ☒ Unknown

LAND FILL: ☐ Yes ☐ No ☒ Unknown

RADIOACTIVE MATERIAL: ☐ Yes ☐ No ☒ Unknown

Other: _____

Source of information: Seller

Buyers are encouraged to seek information from professionals regarding any specific issue or concern.

SECTION V — GENERAL INFORMATION

Is the property subject to or have the benefit of any encroachments, easements, rights-of-way, leases, rights of first refusal, life estates, private ways, trails, homeowner associations (including condominiums and PUD's) or restrictive covenants? ☒ Yes ☐ No ☐ Unknown

If Yes, explain: Benefits from ROW to shore

Source of information: Seller

Is access by means of a way owned and maintained by the State, a county, or a municipality over which the public has a right to pass? ☒ Yes ☐ No ☐ Unknown

If No, who is responsible for maintenance? _____

Road Association Name (if known): _____

Buyer Initials _____

Page 5 of 7

Seller Initials

WJS

MPH

PROPERTY LOCATED AT: 18 Silver Mine Rd, Sedgwick,

Are there any tax exemptions or reductions for this property for any reason including but not limited to:

Tree Growth, Open Space and Farmland, Veteran's, Homestead Exemption, Blind, Working Waterfront?.....
..... ☐ Yes ☒ No ☐ Unknown

If Yes, explain: _____

Is a Forest Management and Harvest Plan available?..... ☐ Yes ☐ No ☐ Unknown

Is house now covered by flood insurance policy (not a determination of flood zone) ☐ Yes ☒ No ☐ Unknown

Equipment leased or not owned (including but not limited to, propane tank, hot water heater, satellite dish, water filtration system, photovoltaics, wind turbines): Type: _____

Year Principal Structure Built: estimate 1830

What year did Seller acquire property? 2006

Roof: Year Shingles/Other Installed: 2015

Water, moisture or leakage: No

Comments: _____

Foundation/Basement:

Is there a Sump Pump? ☐ Yes ☒ No ☐ Unknown

Water, moisture or leakage since you owned the property: ☐ Yes ☐ No ☒ Unknown

Prior water, moisture or leakage? ☐ Yes ☐ No ☒ Unknown

Comments: Stone foundation, gravel and stone floor. Access through exterior bulkhead only

Mold: Has the property ever been tested for mold? ☐ Yes ☒ No ☐ Unknown

If Yes, are test results available? ☐ Yes ☐ No

Electrical: ☐ Fuses ☒ Circuit Breaker ☐ Other: _____ ☐ Unknown

Has all or a portion of the property been surveyed? ☒ Yes ☐ No ☐ Unknown

If Yes, is the survey available? ☒ Yes ☐ No ☐ Unknown

Manufactured Housing – Is the residence a:

Mobile Home ☐ Yes ☒ No ☐ Unknown

Modular ☐ Yes ☒ No ☐ Unknown

KNOWN MATERIAL DEFECTS about Physical Condition and/or value of Property, including those that may have an adverse impact on health/safety: None observed

Source of Section V information: Seller

Buyer Initials _____

Page 6 of 7

Seller Initials _____

MRH

PROPERTY LOCATED AT: 18 Silver Mine Rd, Sedgwick,

SECTION VI — ADDITIONAL INFORMATION

This house was fully renovated between 2015 and 2019 including new roof, siding, doors and windows,
heating system, plumbing, electric, interior walls and floor coverings

ATTACHMENTS EXPLAINING CURRENT PROBLEMS, PAST REPAIRS OR ADDITIONAL
INFORMATION IN ANY SECTION IN DISCLOSURE: ☐ Yes ☒ No

Seller shall be responsible and liable for any failure to provide known information regarding known material defects to the Buyer.

Neither Seller nor any Broker makes any representations as to the applicability of, or compliance with, any codes of any sort, whether state, municipal, federal or any other, including but not limited to fire, life safety, building, electrical or plumbing.

As Sellers, we have provided the above information and represent that all information is correct. To the best of our knowledge, all systems and equipment, unless otherwise noted on this form, are in operational condition.

Marcia Spiegel 2/5/2020
SELLER DATE
Marcia Spiegel

Michael Harwood 2/21/2020
SELLER DATE
Michael Harwood

SELLER DATE

SELLER DATE

I/We have read and received a copy of this disclosure, the arsenic in wood fact sheet, the arsenic in water brochure, and understand that I/we should seek information from qualified professionals if I/we have questions or concerns.

BUYER DATE

BUYER DATE

BUYER DATE

BUYER DATE

